





All for shops and warehouses



# CASH DESKS

# 01 CASH DESKS



KSG line cash desks allow to easily create cashier's workstation and adjust it to the layout of the premises and individual needs.

In order to simplify your choice, we offer six basic option layouts of cash desks. Options KSG-100, KSG-200, KSG-400 and KSG-600 can be used as separate, fully functional workstations.

Options KSG-300 and KSG-500 are mainly used to build cash desk sets – for “tandem” type systems, as shown on page 2.

You will find a detailed presentation of other “basic” options on pages 3 to 14. They are always fully developed cashier's workstations, which can be equipped as needed, by using the offers from the category “Accessories” (page 15 – 23). You will find a detailed presentation of other “basic” options on pages 3 to 14. They are always fully developed cashier's workstations, which can be equipped as needed, by using the offers from the category “Accessories” (page 15 – 23).


The only element, which should always be included in the basic option of the KSG cash table series in order to create a fully functional cashier's workstation, is the cashier's table (page 16).

The diversity of accessories allows us to successfully implement a wide range of our clients needs. In case if additional equipment is not found in the catalog, but it is necessary - we can incorporate it in the design specially for your needs.


CASH DESK LAYOUT BY TWO



CASH DESKS LAYOUT IN TANDEM:  
FIRST LEFT




CASH DESKS LAYOUT IN TANDEM:  
FIRST RIGHT



# 03 CASH DESKS

## KSG-100



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray


SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)

### Total length



L = 2000, ..., 4300 mm (every 100 mm)

### Available equipment

- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others




Left cash desk




Right cash desk




KSG-100-1





KSG-100-2



KSG-100-3




**KSG-100-K**  
 Conveyor belt length: 1900 mm  
 Packing tray length: 1000 mm  
 Total length: 3700 mm



# 05 CASH DESKS

## KSG-200



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray


SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)

### Total length


L = 2000, ..., 4300 mm (every 100 mm)

### Available equipment


- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others




Left cash desk




Right cash desk




KSG-200-1




KSG-200-2



KSG-200-3








## KSG-200-K

Conveyor belt length: 1900 mm  
Packing tray length: 1000 mm  
Total length: 3700 mm



# 07 CASH DESKS

## KSG-300



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray


SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)

### Total length


L = 2000, ..., 4300 mm (every 100 mm)

### Available equipment




- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others



Left cash desk




Right cash desk



KSG-300-1




KSG-300-2




KSG-300-3





# 09 CASH DESKS

## KSG-400



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray


SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)

### Total length


L = 2000, ..., 4300 mm (every 100 mm)

### Available equipment


- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others




### Left cash desk




### Right cash desk




KSG-400-1



KSG-400-2



KSG-400-3




## KSG-400-K

Conveyor belt length: 1900 mm  
Packing tray length: 1000 mm  
Total length: 3700 mm



# 11 CASH DESKS

## KSG-500



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray


SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)

### Total length

L = 2000, ..., 4300 mm (every 100 mm)

### Available equipment



- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others




Left cash desk




Right cash desk






KSG-500-1



KSG-500-2





KSG-500-3



# 13 CASH DESKS

## KSG-600



### Conveyor belt

T = 600, ..., 2300 mm (every 100 mm)  
DT = 800, ..., 2500 mm (every 100 mm)

### Packing tray

SM=610 mm  
DM=600, ..., 1200 mm (every 100 mm)


### Total length

L = 2000, ..., 4300 mm (every 100 mm)


### Available equipment

- Cashier desk
- Plexiglass shield
- Gates
- Locker doors
- Drawers
- Foothills
- Masts
- Signaling lamps
- Others


Left cash desk




Right cash desk




KSG-600-1




KSG-600-2



KSG-600-3











## CASH DESK ACCESSORIES




Cable duct ø 55mm



**Basic table AK-A00S**

Cable duct ø 55mm



**AK-A20S**

Cable duct ø 55mm




**AK-A05S**

Cable duct ø 55mm




**AK-A25S**

Cable duct ø 55mm



**AK-A10S**

Cable duct ø 55mm



**AK-A30S**

## CASHIER DESK


Cashier's desk is the only group "ACCESSORIES" element, which must be equipped base to create a fully functional counter.

Proposed cashiers desks satisfy a greater share of our customers' expectations, but in any case we can make additions.


Cashiers desks, they are places where are installed elements such as cash tray, vertical or horizontal scanners, the weight of the scanner.

We offer cashier desks that are suitable for the most commonly used cassettes and scanners, but if, however, you fail to choose the appropriate option for your cash system, we will develop an individual solution for you.

# 17 PLEXIGLASS SHIELD




AK-AA0




LEFT  
AK-AA0L




RIGHT  
AK-AA0P




AK-AA0S




AK-AA5





LEFT  
AK-AA5L




RIGHT  
AK-AA5P



AK-AA5S



AK-AA10S



CASH TRAY AK-A340



## PEXIGLASS SHIELD


For each of the shields you can use on your cash desk.

“Left” un “right” shield are used „right” or „left” cash desk system.



Shields with a symmetrical design can be used at any cash desk systems adopted.

## CASH TRAY, PIN-PAD HOLDER


Shield with horizontal shelves can be added to the cash tray (symbol: AK-A340), and PinPad holder (symbol: AK-PP15S).




AK-AC000S



AK-AC5L




AK-AD000S



PinPad holder AK-PP15S



Standard control pedal



Control panel with AK-A55S500 casing



Foothil AK-AA05SS



Foothil AK-AA10SS

AK-A50S

FOOTHILS

## KEYBOARD TRAYS

If the electronic cash register system is equipped with a keyboard and display, to be installed vertically, it is very convenient to install them on special pallets that are most often placed on the cashiers desk plexiglass shield.

Keyboard Tray installation examples can be seen in the drawings on the left.

Keyboard tray size 240x150mm (symbol: AK-AC000S)

Keyboard tray and display size. 305x150mm (LEFT – symbol: AK-AC5L; RIGHT - symbol AK-AC5P)

## MANUAL SCANNER HOLDER

In the case of need be hung manual scanners cashier workplace, we offer table shield attachable holder (symbol: AK-AD000S)

## SEPARATORS „NEXT CLIENT”

Each cash register table base is equipped with a place for separators “Next customer” and with three separators (symbol: AK-A005). If need more separator, they must be ordered separately.

## CONTROL PEDAL CASING


The control pedal has been included in the cash desk-based equipment. If the foot pedal control is an essential way of working the cashier, then can be used to improve the ergonomics of the pedal fitting casing (symbol: AK-A55S500).

## FOOTHILS


If the cashier is using the automatic mode (photoelectric cell management), tad komforta palielināšanai darba then increase the comfort of jobs can be equipped with adjustable carpet. We offer two models:

- with adjustable pitch angle(symbol: AK-AA05SS)
- with adjustable angle and height (symbol: AK-AA10SS)


# 19 EXTRA SOCKET




Connector panel AK-PAA250S




Socket ~ 230V AK-P00000500




Network socket Ethernet AK-P00000645



Socket ~ 230V DATA AK-P00000640



Network socket AK-P00000650



External socket ~ 230V with cover AK-P00000665

## CONNECTOR PANEL

Each cash register desk base is equipped with a connector panel with two installation boxes, intended for 230V power supply.

Front cabinet standard depth is 500 mm (GP = 500). The connector panel allows to install 8 additional electricity, telephone or computer network socket (Draw. 1). If the cabinet depth = 400 GP, the panel makes it possible to install six additional sockets.

We offer the following socket types:

Network socket with grounding 16a, 230V (symbol: AK-P00000500)

Network socket with grounding 16a, 230V (DATA) (symbol: AK-P00000640)

Ethernet network socket, category 6, 2xRJ45 (symbol: AK-P00000645)

6 section phone socket RJ12 (symbol: AK-P00000650)

Your order must be in accordance with the socket number and placement. The consultant will take care of the necessary housing choices.

## CASINGS

A separate module (symbol: AK-KKA05S)

Doubled module (symbol: AK-KKA10S)

Three socket module (symbol: AK-KKA15S)

Four-socket module (symbol: AK-KKA20S)

## EXTERNAL SOCKET 230V

If it's necessary to install additional socket 230V cash desk outside (just below the conveyor), use a socket connection with a cover (symbol: AK-P00000665)

## MAST

It is an element which primarily serves the treasury board for connection to the necessary cables. The mast is also used for lamp installation information.

Standard features a round masts -  $\varnothing$  50 mm, made of aluminum, length:

L-3000 mm (symbol: AK-MAD0S)

L-3500 mm (symbol: AK-MAD5S)

L-4000 mm (symbol: AK-MAD10S)

L-5000 mm (symbol: AK-MAD15S)

If the cables are connected from the floor below, but also need to install the lamp, we offer the option to use a short mast, positioned in the normal position, with the length L-1600 mm (symbol: AK-MAD20S).

The mast goes through the table surface and attached to the front inside the cabinet. In case of need to affix the mast cabinet side wall must be used in addition to the module (symbol: AK-AD20S).

## LAMPS

We offer two types of information lamps, designed for installation on round mast  $\varnothing$  50 mm.


Lamp T (symbol: AK-L15S)

Lamp K (symbol: AK-L5S)


Both types of lamp light the surface is white from the front and bank.

T lamp has 1 socket with thread E27 and it is designed for compact fluorescent lamps with thread E27, with maximum power of 20W(standard 8W).


K lamp has 2 socket with thread E27 and it is designed for compact fluorescent lamps with thread E27 with maximum power of 20W (standard 2 x 8W).



Mast



Lamp T AK-L15S



Lamp K AK-L5S



# 21 LOCKER DOORS

## LOCKER EQUIPPING

KSG cash desk lockers can be equipped with doors or drawers.

### DOORS

From the top of the door-opening provides more convenient access to the cashier, over door with side opening.

Lockers is located in the bottom of the holes required for installation of the door.

We offer seamless door or door with ventilation holes.

Narrow lockers (SP=510):

One-piece door (symbol: AK-AC5S)

Ventilated door (symbol: AK-AC15S)

Wide lockers (SP=1000):

One-piece door (symbol: AK-AC0S)

Ventilated door (symbol: AK-AC10S)

### DRAWERS

Another very good locker equipment, which allows to obtain a large and comfortable rooms are drawers. Similar to the case of the door, there is space for the installation of the drawer the bottom of the locker.

Lockers with sizes GP=400 and SP=510 we use:

Separate drawer (symbol: AK-AB25S)

Two drawer kit (symbol: AK-AB35S)

Lockers with sizes GP=400 and SP=1000 we use:

Separate drawer (symbol: AK-AB20S)

Two drawer kit (symbol: AK-AB30S)

Lockers with sizes GP=500 and SP=510 we use:

Separate drawer (symbol: AK-AB5S)

Two drawer kit (symbol: AK-AB15S)

Lockers with sizes GP=500 and SP=1000 we use:

Separate drawer (symbol: AK-AB0S)

Two drawer kit (symbol: AK-AB10S)



AK-AC5S

One-piece door



AK-AC0S



AK-AC15S

Ventilated door



AK-AC10S



AK-AB5S

A separate drawer with a key

Locker drawer with a key GP=500mm SP=510mm



AK-AB15S


Double drawers

Locker drawers 2 pcs. (top with a key) GP=500mm SP=510mm



AK-AB0S

Drawer




Locker drawer with a key GP=500mm SP=1000mm




AK-AB10S

Drawers


Locker drawers 2 pcs. (top with a key) GP=500mm SP=1000mm









Hanger AK-AF0SL




Hanger AK-AF5S




Hanger AK-AF0S




Hanger AK-AF5SL




Basket H-230, G-300 AK-ABG0S




Box H-200, G-300, L-350 AK-ABG5S



Rack 250x450 AK-PC0S



Rack 250x900 AK-PC10S




## BAG HANGER


We offer multiple attachment options.

1. Universal hanger
  2. Tin hanger. Attached to the end of or below the conveyor.
  3. Wire hanger, attachment sites - as before.
  4. Stand bags affixed to the inside of the basket of goods.
  5. Basket for bags. Mounted below the conveyor.
  6. Tin box. Mountable below the conveyor.
- Ršit shopping basket unloading (Rack 250x450, AK-PC0S)  
Rack for loading and packaging (Rack 250x900, AK-PC10S)


# 23 GATES, SEPARATORS




Gates AK-AG0S




Boxes separator




Plexiglass shield h=100



Plexiglass shield h=200



Tin shield h=100



Tin shield h=200

## GATES

We offer gate AK-AG0S with adjustable length. We produce chrome or varnished cash desk color.

## BOXES SEPARATOR

Wide boxes of goods case (ID = 1100) is often used separators AK-AE ....Addicted to the box size DD should use the appropriate length of the separator. So then:

DD=600 Separator (symbol: AK-AE05S)

DD=700 Separator (symbol: AK-AE10S)

DD=800 Separator (symbol: AK-AE15S)

DD=900 Separator (symbol: AK-AE20S)

DD=1000 Separator (symbol: AK-AE25S)

DD=1100 Separator (symbol: AK-AE30S)























DD=1200 Separator (symbol: AK-AE35S)

## DESK SURFACE PROTECTOR

Sometimes desk surface requires additional protection in order to not fall into the ground various cashier jobs in small accessories. For this purpose, we offer organic glass or sheet metal screens. Bidding screens are suitable for table surfaces with size of DB=512 un SB=...




### Protectors:

h	SB	Plexiglass	tin	
			„left“	„right“
100	350	AK-A10P	AK-A40L	AK-A40P
	450	AK-A05P	AK-A35L	AK-A35P
	550	AK-A00P	AK-A30L	AK-A30P
200	350	AK-A25P	AK-A55L	AK-A55P
	450	AK-A20P	AK-A50L	AK-A50P
	550	AK-A15P	AK-A45L	AK-A45P

















































































 RAL 9016 SHM STD	 RAL 9016 SRU STD	 RAL 7035 SHM STD	 RAL 7035 SRU STD
 RAL 1001 SM STD	 RAL 9001 SHM STD	 RAL 9001 G STD	 RAL 6005 G STD
 RAL 9010 SM STD	 RAL 9010 G STD	 RAL 1013 G STD	 RAL 7000 SHM STD
 RAL 9005 SRU STD	 RAL 9001 SRU STD	 RAL 1018 SRU STD	 RAL 5010 SRU STD
 RAL 7011 G STD	 RAL 7015 SM STD	 RAL 7015 SM STD	 RAL 7040 SM STD
 RAL 5012 G STD	 RAL 7001 SHM STD		

## Designations:

G—sheen; M—matte; SM—sleek, matte;  
SHM—sleek, half-matte; SRU—structural;  
HSRU—Hammerite, structures; STD—standard color;  
EXT—special color



# 25 SPECIAL COLORS

 RAL 7043 G EXT	 RAL 5002 SHM EXT	 RAL 2008 SHM EXT	 RAL 8023 G EXT	 RAL 7035 SHM EXT	 RAL 7016 G EXT	 RAL 8025 SHM EXT	 RAL 3011 SHM EXT
 RAL 7032 G EXT	 RAL 5005 G EXT	 RAL 3000 SHM EXT	 RAL 3004 SHM EXT	 RAL 7031 G EXT	 RAL 3003 G EXT	 RAL 1013 SHM EXT	 RAL 3005 SHM EXT
 RAL 7021 SHM EXT	 RAL 5017 G EXT	 RAL 3020 SRU EXT	 RAL 1014 G EXT	 RAL 1023 G EXT	 RAL 6024 G EXT	 RAL 8017 G EXT	 RAL 7001 SHM EXT
 RAL 1021 G EXT	 RAL 5018 G EXT	 RAL 3020 G EXT	 RAL 6018 G EXT	 RAL 2009 SM EXT	 RAL 7044 G EXT	 RAL 1028 G EXT	 RAL 1000 G EXT
 RAL 1003 G EXT	 RAL 5015 G EXT	 RAL 3014 G EXT	 RAL 6009 SM EXT	 RAL 3009 G EXT	 RAL 6027 G EXT	 RAL 6026 G EXT	 RAL 6032 SHM EXT
 RAL 2008 SHM EXT	 RAL 5022 G EXT	 RAL 9006 SHM EXT	 RAL 6005 SM EXT	 RAL 9007 G EXT	 RAL 1015 G EXT	 RAL 4005 G EXT	 RAL 9001 SRU EXT
 RAL 1015 SRU EXT	 RAL 6029 G EXT	 TIGER 09/80170 SHM EXT	 RAL 6027 G EXT	 RAL 4006 G EXT	 RAL 8019 G EXT	 RAL 6017 SHM EXT	 RAL 1037 G EXT
 RAL 1021 G EXT	 RAL 6001 SRU EXT	 RAL 4004 G EXT	 RAL 5021 G EXT	 RAL 6019 G EXT	 RAL 2004 G EXT	 RAL 1016 G EXT	 RAL 2003 SRU EXT
 RAL 5002 SHM EXT	 RAL 2003 G EXT	 RAL 8001 G EXT	 RAL 7036 G EXT	 RAL 1024 G EXT	 RAL 9006 Metal EXT	 RAL 2004 SRU EXT	 RAL 1037 SRU EXT
 RAL 5010 SHM EXT	 RAL 1018 G EXT	 RAL 8004 G EXT	 RAL 9002 G EXT	 9030-A-0136 Hroms EXT	 RAL 9005 SRU EXT	 RAL 7039 SRU EXT	 RAL 6029 SRU EXT